




KOBAYASHI
WORKFLOW ENGINEERING

SPECSHEET
KC-52" DROP-IN

V2025-22-06



PRODUCT SPECIFICATIONS



1325^L x 600^W x 400^H
52" x 23,62" x 15,74"



70 KG / 154 LB




Total Ice chest capacity
135 Liter / 4565 FL OZ / / 35,66 GAL



7-8 Speedrail capacity (+2 if combined with Bottlestep)
*Based on Ø 80 mm / Ø 3,15"



200 Servings before refilling icechest
*Estimate based on 25x25x23 mm ice cubes (approx. 20 ml each),
using ~15 blocks per cocktail. Actual yield may vary depending on bar
setup, ice handling, and how the ice chest is organized.



A OPERATIONAL SECTION

ICE CHEST

A1- IC - GARNISHRAIL

A2- IC - DIVIDER

A3- IC - DRIP ROSTER

A4- SPEEDCOUNTER

A5- SPEEDRAIL

B SUPPORT SECTION

BARTOOL UNIT

B1- BTU - ROSTER

B2- BTU - DIVIDER

FLEXDOCK

B3- BOTTLESTEP

B4- BLEND UNIT DOCK

C PREP SECTION

RINSE UNIT

C1- RU - FAUCET

C2- RU - RINSER

C3- RU - CONTAINER

C4- RU - CUTTING BOARD

C5- FLEXRAIL

